



NEWTEX INDUSTRIES, INC. MATERIAL SAFETY DATA SHEET
 ZETEXPLUS PRODUCTS Pg. 1 OF 4

SECTION I-PRODUCTION IDENTIFICATION

ZETEXPLUS PRODUCTS
 INCLUDING FABRIC, TAPE, ROPE AND TUBING

MANUFACTURER: NEWTEX INDUSTRIES, INC. 8050 Victor-Mendon Road Victor, New York 14564	EMERGENCY TELEPHONE NUMBER: (585) 924-9135
CHEMICAL NAME AND SYNONYMS: N/A Mixture	PRODUCT IDENTIFICATION NUMBER: N/A
CHEMICAL FAMILY: N/A	

SECTION II - INGREDIENTS

The above products are considered "articles" according to OSHA hazard Communication Standard 29 CFR 1910.1200 and, as such, are exempt from the Material Safety Data Sheet provisions of 29 CFR 1910.1200(G)(6). As a service to the customer, Newtex Industries Inc. has prepared this Material Safety Data Sheet to provide appropriate safety and handling information. These products are considered non-hazardous when used according to accepted practices for the intended use.

AS MANUFACTURED:	WT. %	TLV/PEL
Continuous Fibrous Glass (NON RESPIRABLE) (CAS # 65997-17-3)	85-95%	
Proprietary Ingredients	5-15%	Not Listed
Total dust		ACGIH TLV: 10 mg/m3
Respirable dust		OSHA PEL : 15 mg/m3 OSHA PEL : 5 mg/m3

SECTION III - PHYSICAL DATA

BOILING POINT	: N/A	SPECIFIC GRAVITY RANGE(H2O=1)	: 2.55
MELTING POINT	: N/A	PERCENT VOLATILE BY VOLUME	: N/A
VAPOR PRESSURE(mm Hg)	: N/A	EVAPORATION RATE	
VAPOR DENSITY(Air=1)	: N/A	(Butyl Acetate=1)	: N/A

=====
SECTION III - PHYSICAL DATA CONTINUED
=====

VAPOR PRESSURE(mm Hg): N/A SOLUBILITY IN WATER : Insoluble
APPEARANCE AND ODOR: Vitreous silicate fibers six microns in
diameter bound together in strands and woven, braided, or
twisted into golden brown product with insignificant odor.

=====
SECTION IV - FIRE AND EXPLOSION HAZARD DATA
=====

FLASH POINT (METHOD USED): N/A FLAMMABLE LIMIT: LEL: N/A
UNUSUAL FIRE AND EXPLOSIVE HAZARDS: None UEL: N/A
SPECIAL FIRE FIGHTING PROCEDURES: None
EXTINGUISHING MEDIA: N/A Will not burn

=====
SECTION V - HEALTH HAZARD DATA
=====

ROUTES OF ENTRY:

Inhalation - No toxic effects are known to be associated
with the inhalation of vapors from this material under
normal conditions.

Skin - Short contact periods with human skin are not likely
to produce skin irritation. Repeated/prolonged contact
can induce mild irritation. This product is not likely
to be absorbed through human skin.

Eyes - May cause a physical irritation to the eye.

CARCINOGENICITY: This product is not known as a carcinogen.

HEALTH HAZARD (Acute & Chronic): None known

SIGNS AND SYMPTOMS OF EXPOSURE: Minor skin irritation

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Experimental studies have shown that chemically exfoliated
vermiculite induces a lung response, which is similar to
that of mica exposure. After repeated, prolonged exposure
to excessive concentrations of mica dust, some mica workers
have developed an accumulation of dust in the lungs which is
observed only by chest x-ray and is not considered hazardous
to workers' health.

EMERGENCY FIRST AID PROCEDURES:

Skin - Wash any material off skin with soap and cool water.
If redness, itching or burning sensation develops, get
medical attention.

Eyes - Flush with water for at least 15 minutes. If
irritation develops, get medical attention.

Ingestion - Not expected to occur.

=====
SECTION VI - REACTIVITY DATA
=====

STABILITY: Stable
CONDITIONS TO AVOID: None known
INCOMPATIBILITY: None known
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: In a sustained fire, the organic binders will decompose releasing minor quantities of decomposition products believed to be insufficient to be harmful.
HAZARDOUS POLYMERIZATION: Will not occur
CONDITIONS TO AVOID: None known

=====
SECTION VII - SPILL OR LEAK PROCEDURES
=====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
Material is a solid.
Pick up big pieces and sweep up any scrapes.
WASTE DISPOSAL METHOD: Dispose of as any other innocuous material. Discarded product is not a hazardous waste under RCRA 40 CFR 261.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: For maximum comfort, avoid excessive contact with skin and use good personal hygiene.
OTHER PRECAUTIONS: If excessive dust is generated, use a respirator approved by MSHA or NIOSH for dust.

=====
SECTION VIII - CONTROL MEASURES
=====

RESPIRATOR PROTECTION (specify type): A NIOSH type TC-21C-XXX dust respirator is recommended if significant dust is created in handling or processing and should be required if necessary to prevent exposure above limits for total and respirable dust.
VENTILATION LOCAL EXHAUST : Is not necessary. Use product in well ventilated areas.
SPECIAL : None
MECHANICAL : None
OTHER : None
PROTECTIVE GLOVES: Rubber or synthetic gloves are recommended when necessary to prevent prolonged or repeated skin contact
EYE PROTECTION: As generally good practice, safety glasses can be worn.

